



Section C - Sprinklers
Extended Coverage

TABLE OF CONTENTS

Pendent/Upright	VK600/VK602, 5.6 (81) / 8.0 (115) K factor, pendent..... C-1 VK604/VK610, 5.6 (81) K factor, pendent / high pressure pendent..... C-1
ELO	VK532/VK534, 11.2 (161) K factor, ELO, upright / pendent C-2 VK608, 11.2 (161) K factor, ELO, pendent C-2 VK570/VK572, 14.0 (202) K factor, ELO, upright / pendent C-3
Sidewall	VK605/VK606, 5.6 (81) / 8.0 (115) K factor, horizontal sidewall C-4 VK612, 5.6 (81) K factor, horizontal sidewall, high pressure..... C-4 Cocoon Sprinklers, VK605/VK612, 5.6 (81) K factor, horizontal sidewall..... C-4 VK630, 8.0 (115) K factor, horizontal sidewall / domed concealed sidewall C-5 VK638, 8.0 (115) K factor, "Corridor Sprinkler", horizontal sidewall C-5
Concealed	VK614-D/VK616-D, 5.6 (81) / 8.0 (115) K factor, domed concealed pendent C-6 VK618-D, 11.2 (161) K factor, domed concealed pendent..... C-6 Mirage [®] VK632 / VK634, 5.6 (81) / 8.0 (115) K factor, flat concealed pendent C-7 Mirage [®] ELO VK636, 11.2 (161) K factor, flat concealed pendent (Light Hazard)..... C-7 Mirage [®] ELO VK538, 11.2 (161) K factor, flat concealed pendent (Ordinary Hazard) ... C-7 VK680, 8.0 (115) K factor, flat concealed horizontal sidewall C-7 Mirage [®] Cover Plates (standard, large, square, ELO)..... C-8
Fusible Link	Fusible Link, upright / pendent C-9 Fusible Link, horizontal sidewall, high pressure C-10

Notes

1. Unless otherwise indicated, all cover plates and escutcheons are sold separately.
2. Cover plates, escutcheons, and sprinklers are available in custom colors at an additional charge. See pages F-8 and F-9 for details.
3. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting www.vikinggroupinc.com.
4. List prices effective June 4, 2016. Supersedes May 2015 list price book.
5. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

Microfast[®] is a registered trademark of The Viking Corporation
Microtech[®] is a registered trademark of The Viking Corporation
Mirage[®] is a registered trademark of The Viking Corporation

	Microfast® Model M Quick/Standard Response Extended Coverage Glass Bulb Pendant			
	SIN:	VK600		
	K Factor:	5.6 (81)		
	Thread Size:	1/2 inch NPT		
	Base Part #:	06778B		
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	06778BAA	V20.2	\$52.42
Standard Brass	155°F	06778BAB	V20.2	\$52.42
Standard Brass	175°F	06778BAD	V20.2	\$52.42
Chrome	135°F	06778BFA	V20.2	\$56.39
Chrome	155°F	06778BFB	V20.2	\$56.39
Chrome	175°F	06778BFD	V20.2	\$56.39
White-Polyester ²	135°F	06778BMA/W	V20.2	\$56.39
White-Polyester	155°F	06778BMB/W	V20.2	\$56.39
White-Polyester	175°F	06778BMD/W	V20.2	\$56.39
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13577W/B	V20	\$125.89

	Microfast® Model M Standard/Quick Response Extended Coverage Glass Bulb Pendant			
	SIN:	VK602		
	K Factor:	8.0 (115)		
	Thread Size:	3/4 inch NPT		
	Base Part #:	18262		
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	18262AA	V20.2	\$52.42
Standard Brass	155°F	18262AB	V20.2	\$52.42
Standard Brass	175°F	18262AD	V20.2	\$52.42
Chrome	135°F	18262FA	V20.2	\$56.39
Chrome	155°F	18262FB	V20.2	\$56.39
Chrome	175°F	18262FD	V20.2	\$56.39
White-Polyester ²	135°F	18262MA/W	V20.2	\$56.39
White-Polyester	155°F	18262MB/W	V20.2	\$56.39
White-Polyester	175°F	18262MD/W	V20.2	\$56.39
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13577W/B	V20	\$125.89

	Microfast® Model M Standard/Quick Response Extended Coverage Glass Bulb Pendant			
	SIN:	VK604 ¹		
	K Factor:	5.6 (81)		
	Thread Size:	1/2 inch NPT		
	Base Part #:	10335		
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	10335AA	V20.2	\$57.14
Standard Brass	155°F	10335AB	V20.2	\$57.14
Standard Brass	175°F	10335AD	V20.2	\$57.14
Chrome	135°F	10335FA	V20.2	\$61.12
Chrome	155°F	10335FB	V20.2	\$61.12
Chrome	175°F	10335FD	V20.2	\$61.12
White-Polyester ²	135°F	10335MA/W	V20.2	\$61.12
White-Polyester	155°F	10335MB/W	V20.2	\$61.12
White-Polyester	175°F	10335MD/W	V20.2	\$61.12
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13577W/B	V20	\$125.89

	HIGH PRESSURE - Model M Standard/Quick Response Extended Coverage Glass Bulb Pendant			
	SIN:	VK610		
	K Factor:	5.6 (81)		
	Thread Size:	1/2 inch NPT		
	Base Part #:	12294		
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	12294AA	V20.2	\$57.14
Standard Brass	155°F	12294AB	V20.2	\$57.14
Standard Brass	175°F	12294AD	V20.2	\$57.14
Chrome	135°F	12294FA	V20.2	\$61.12
Chrome	155°F	12294FB	V20.2	\$61.12
Chrome	175°F	12294FD	V20.2	\$61.12
White-Polyester ²	135°F	12294MA/W	V20.2	\$61.12
White-Polyester	155°F	12294MB/W	V20.2	\$61.12
White-Polyester	175°F	12294MD/W	V20.2	\$61.12
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13577W/B	V20	\$125.89

NOTE - High Pressure (HP) = Working pressure to 250 psi (1724 kPa)

Select Escutcheons - 1/2 inch *			
E1 push-on (chrome, 1/2 in)	06419AF	V21	\$7.25
E1 push-on (white, 1/2 in)	06419AM/W	V21	\$7.25
E2 threaded (chrome, 1/2 in)	11038F	V21	\$7.25


*Refer to Page H-1 for complete list of available escutcheons

Select Escutcheons - 3/4 inch *			
E1 push-on (chrome, 3/4 in)	20369F	V21	\$7.25
E1 push-on (white, 3/4 in)	20369M/W	V21	\$7.25
E2 threaded (chrome, 3/4 in)	11625F	V21	\$8.39

*Refer to Page H-1 for complete list of available escutcheons

(1) Also listed for high pressure (250 PSI) as VK610 (p/n 12294)


(2) Polyester sprinklers are suitable for decorative applications and are UL listed for corrosion resistance.



Microfast® Model M
EXTRA LARGE ORIFICE
Standard/Quick Response
Extended Coverage
Glass Bulb
Upright

SIN: VK532^{1,2}
K Factor: 11.2 (161)
Thread Size: 3/4 inch NPT
Base Part #: 08687

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	08687AB	V18.1	\$84.48
Standard Brass	175°F	08687AD	V18.1	\$84.48
Standard Brass	200°F	08687AE	V18.1	\$84.48
Standard Brass	286°F	08687AG	V18.1	\$84.48
Chrome	155°F	08687FB	V18.1	\$90.02
Chrome	175°F	08687FD	V18.1	\$90.02
Chrome	200°F	08687FE	V18.1	\$90.02
Chrome	286°F	08687FG	V18.1	\$90.02
White-Polyester ³	155°F	08687MB/W	V18.1	\$90.02
White-Polyester	175°F	08687MD/W	V18.1	\$90.02
White-Polyester	200°F	08687ME/W	V18.1	\$90.02
White-Polyester	286°F	08687MG/W	V18.1	\$90.02
Black-Polyester ³	155°F	08687MB/B	V18	\$90.02
Black-Polyester	175°F	08687MD/B	V18	\$90.02
Black-Polyester	200°F	08687ME/B	V18	\$90.02
Black-Polyester	286°F	08687MG/B	V18	\$90.02
Nickel PTFE (ENT) ⁴	155°F	08687JNB	V20.4	\$122.83
Nickel PTFE (ENT)	175°F	08687JND	V20.4	\$122.83
Nickel PTFE (ENT)	200°F	08687JNE	V20.4	\$122.83
Nickel PTFE (ENT)	286°F	08687JNG	V20.4	\$122.83
Nickel PTFE (ENT)	OPEN	08687JNZ	V20.4	POA
Std Sprinkler Wrench		05118CW/B	V20	\$141.46



Microfast® Model M
EXTRA LARGE ORIFICE
Standard/Quick Response
Extended Coverage
Glass Bulb
Pendent

SIN: VK534^{1,2}
K Factor: 11.2 (161)
Thread Size: 3/4 inch
Base Part #: 08340

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	08340AB	V18.1	\$84.48
Standard Brass	175°F	08340AD	V18.1	\$84.48
Standard Brass	200°F	08340AE	V18.1	\$84.48
Standard Brass	286°F	08340AG	V18.1	\$84.48
Chrome	155°F	08340FB	V18.1	\$90.02
Chrome	175°F	08340FD	V18.1	\$90.02
Chrome	200°F	08340FE	V18.1	\$90.02
Chrome	286°F	08340FG	V18.1	\$90.02
White-Polyester ³	155°F	08340MB/W	V18.1	\$90.02
White-Polyester	175°F	08340MD/W	V18.1	\$90.02
White-Polyester	200°F	08340ME/W	V18.1	\$90.02
White-Polyester	286°F	08340MG/W	V18.1	\$90.02
Black-Polyester ³	155°F	08340MB/B	V18	\$90.02
Black-Polyester	175°F	08340MD/B	V18	\$90.02
Black-Polyester	200°F	08340ME/B	V18	\$90.02
Black-Polyester	286°F	08340MG/B	V18	\$90.02
Nickel PTFE (ENT) ⁴	155°F	08340JNB	V20.4	\$122.83
Nickel PTFE (ENT)	175°F	08340JND	V20.4	\$122.83
Nickel PTFE (ENT)	200°F	08340JNE	V20.4	\$122.83
Nickel PTFE (ENT)	286°F	08340JNG	V20.4	\$122.83
Nickel PTFE (ENT)	OPEN	08340JNZ	V20.4	POA
Std Wrench for ELO Spk		05118CW/B	V20	\$141.46
Wrench for Recessed		11663W/B	V20	\$142.35




Model M
EXTRA LARGE ORIFICE
Standard/Quick Response
Extended Coverage
Glass Bulb
Pendent

SIN: VK608¹
K Factor: 11.2 (161)
Thread Size: 3/4 inch NPT
Base Part #: 08339

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	08339AA	V18.1	\$84.48
Standard Brass	155°F	08339AB	V18.1	\$84.48
Standard Brass	175°F	08339AD	V18.1	\$84.48
Chrome	135°F	08339FA	V18.1	\$90.02
Chrome	155°F	08339FB	V18.1	\$90.02
Chrome	175°F	08339FD	V18.1	\$90.02
White-Polyester ³	135°F	08339MA/W	V18.1	\$90.02
White-Polyester	155°F	08339MB/W	V18.1	\$90.02
White-Polyester	175°F	08339MD/W	V18.1	\$90.02
Black-Polyester ³	135°F	08339MA/B	V18	\$90.02
Black-Polyester	155°F	08339MB/B	V18	\$90.02
Black-Polyester	175°F	08339MD/B	V18	\$90.02
Nickel PTFE (ENT) ⁴	135°F	08339JNA	V20.4	\$154.59
Nickel PTFE (ENT)	155°F	08339JNB	V20.4	\$154.59
Nickel PTFE (ENT)	175°F	08339JND	V20.4	\$154.59
Nickel PTFE (ENT)	OPEN	08339JNZ	V20.4	POA
Std Sprinkler Wrench		05118CW/B	V20	\$141.46
Wrench for Recessed		11663W/B	V20	\$142.35


- (1) Light Hazard
- (2) Ordinary Hazard
- (3) Suitable for decorative applications and are UL listed for corrosion resistance.
- (4) Electroless Nickel PTFE (ENT) coating is UL Listed and FM Approved for corrosion resistance.



**Model M
Standard/Quick Response
Extended Coverage
Glass Bulb
Upright**

SIN: VK570^{1,3}
K Factor: 14.0 (202)
Thread Size: 3/4 inch NPT
Base Part #: 13840


Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13840AB	V18.1	\$119.05
Standard Brass	175°F	13840AD	V18.1	\$119.05
Standard Brass	200°F	13840AE	V18.1	\$119.05
Standard Brass	286°F	13840AG	V18.1	\$119.05
Chrome	155°F	13840FB	V18.1	\$125.70
Chrome	175°F	13840FD	V18.1	\$125.70
Chrome	200°F	13840FE	V18.1	\$125.70
Chrome	286°F	13840FG	V18.1	\$125.70
White-Polyester ²	155°F	13840MB/W	V18.1	\$125.70
White-Polyester	175°F	13840MD/W	V18.1	\$125.70
White-Polyester	200°F	13840ME/W	V18.1	\$125.70
White-Polyester	286°F	13840MG/W	V18.1	\$125.70
Black-Polyester ²	155°F	13840MB/B	V18.1	\$125.70
Black-Polyester	175°F	13840MD/B	V18.1	\$125.70
Black-Polyester	200°F	13840ME/B	V18.1	\$125.70
Black-Polyester	286°F	13840MG/B	V18.1	\$125.70
Nickel PTFE (ENT) ⁴	155°F	13840JNB	V20.4	\$153.53
Nickel PTFE (ENT)	175°F	13840JND	V20.4	\$153.53
Nickel PTFE (ENT)	200°F	13840JNE	V20.4	\$153.53
Nickel PTFE (ENT)	286°F	13840JNG	V20.4	\$153.53
Wrench for ECOH 14K		07297W/B	V20	\$101.66
Wrench for Recsd ECOH		13032W/B	V20	\$188.92



**Model M
Standard/Quick Response
Extended Coverage
Glass Bulb
Pendant**


SIN: VK572^{1,3}
K Factor: 14.0 (202)
Thread Size: 3/4 inch NPT
Base Part #: 13722

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13722AB	V18.1	\$91.58
Standard Brass	175°F	13722AD	V18.1	\$91.58
Standard Brass	200°F	13722AE	V18.1	\$91.58
Standard Brass	286°F	13722AG	V18.1	\$91.58
Chrome	155°F	13722FB	V18.1	\$96.71
Chrome	175°F	13722FD	V18.1	\$96.71
Chrome	200°F	13722FE	V18.1	\$96.71
Chrome	286°F	13722FG	V18.1	\$96.71
White-Polyester ²	155°F	13722MB/W	V18.1	\$96.71
White-Polyester	175°F	13722MD/W	V18.1	\$96.71
White-Polyester	200°F	13722ME/W	V18.1	\$96.71
White-Polyester	286°F	13722MG/W	V18.1	\$96.71
Black-Polyester ²	155°F	13722MB/B	V18	\$96.71
Black-Polyester	175°F	13722MD/B	V18	\$96.71
Black-Polyester	200°F	13722ME/B	V18	\$96.71
Black-Polyester	286°F	13722MG/B	V18	\$96.71
Nickel PTFE (ENT) ⁴	155°F	13722JNB	V20.4	\$153.53
Nickel PTFE (ENT)	175°F	13722JND	V20.4	\$153.53
Nickel PTFE (ENT)	200°F	13722JNE	V20.4	\$153.53
Nickel PTFE (ENT)	286°F	13722JNG	V20.4	\$153.53
Wrench for ECOH 14K		07297W/B	V20	\$101.66
Wrench for Recsd ECOH		13032W/B	V20	\$188.92



**Recessed Escutcheon
Model E-1 (push-on)**
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	3/4"	20369B	V23	\$21.81
Polished Chrome	3/4"	20369F	V21	\$7.25
White	3/4"	20369M/W	V21	\$7.25
Black	3/4"	20369M/B	V23	\$9.80



**Threaded Escutcheon
Model E-2 (thread-on)**
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Polished Chrome	3/4"	11625F	V21	\$8.39
White	3/4"	11625M/W	V21	\$8.39


*Refer to Page H-1 for complete list of available escutcheons

- (1) Ordinary Hazard
- (2) Suitable for decorative applications and are UL listed for corrosion resistance.
- (3) Also listed as quick response for ordinary hazard (refer to technical data page for complete listing/approval data)
- (4) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.

	Microfast® Model M Standard/Quick Response Extended Coverage Glass Bulb Horizontal Sidewall			
	SIN: VK605 K Factor: 5.6 (81) Thread Size: 1/2 inch NPT Base Part #: 12120			
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	12120AA	V20.2	\$52.42
Standard Brass	155°F	12120AB	V20.2	\$52.42
Standard Brass	175°F	12120AD	V20.2	\$52.42
Chrome	135°F	12120FA	V20.2	\$56.39
Chrome	155°F	12120FB	V20.2	\$56.39
Chrome	175°F	12120FD	V20.2	\$56.39
White-Polyester ¹	135°F	12120MA/W	V20.2	\$56.39
White-Polyester	155°F	12120MB/W	V20.2	\$56.39
White-Polyester	175°F	12120MD/W	V20.2	\$56.39
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35

	Microfast® Model M Quick Response Extended Coverage Glass Bulb Horizontal Sidewall			
	SIN: VK606 K Factor: 8.0 (115) Thread Size: 3/4 inch NPT Base Part #: 18271			
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	18271AA	V20.2	\$52.42
Standard Brass	155°F	18271AB	V20.2	\$52.42
Standard Brass	175°F	18271AD	V20.2	\$52.42
Chrome	135°F	18271FA	V20.2	\$56.39
Chrome	155°F	18271FB	V20.2	\$56.39
Chrome	175°F	18271FD	V20.2	\$56.39
White-Polyester ¹	135°F	18271MA/W	V20.2	\$56.39
White-Polyester	155°F	18271MB/W	V20.2	\$56.39
White-Polyester	175°F	18271MD/W	V20.2	\$56.39
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35

	HIGH PRESSURE Standard/Quick Response Extended Coverage Glass Bulb Horizontal Sidewall			
	SIN: VK612 K Factor: 5.6 (81) Thread Size: 1/2 inch NPT Base Part #: 12295			
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	12295AA	V20.2	\$52.42
Standard Brass	155°F	12295AB	V20.2	\$52.42
Standard Brass	175°F	12295AD	V20.2	\$52.42
Chrome	135°F	12295FA	V20.2	\$56.39
Chrome	155°F	12295FB	V20.2	\$56.39
Chrome	175°F	12295FD	V20.2	\$56.39
White-Polyester ¹	135°F	12295MA/W	V20.2	\$56.39
White-Polyester	155°F	12295MB/W	V20.2	\$56.39
White-Polyester	175°F	12295MD/W	V20.2	\$56.39
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35

	COCOON SPRINKLERS² Standard/Quick Response Extended Coverage Glass Bulb Horizontal Sidewall			
	SIN: VK605, VK612 K Factor: 5.6 (81) Thread Size: 1/2 inch NPT Base Part #: 12120, 12295			
Finish	Temp	Part #	IPG	List Price
Chrome	135°F	12120FAK	V00	\$80.26
Chrome	155°F	12120FBK	V00	\$80.26
Chrome	175°F	12120FDK	V00	\$80.26
White-Polyester ¹	135°F	12120MA/WK	V00	\$80.26
White-Polyester	155°F	12120MB/WK	V00	\$80.26
White-Polyester	175°F	12120MD/WK	V00	\$80.26
HIGH PRESSURE - VK612 (base part # 12295)				
Chrome	135°F	12295FAK	V00	POA
Chrome	155°F	12295FBK	V00	POA
Chrome	175°F	12295FDK	V00	POA
Wrench for Recessed		13655W/B	V20	\$142.35

NOTE - High Pressure (HP) = Working pressure to 250 psi (1724 kPa)

Select Escutcheons - 1/2 inch *			
E1 push-on (chrome, 1/2 in)	06419AF	V21	\$7.25
E1 push-on (white, 1/2 in)	06419AM/W	V21	\$7.25
E2 threaded (chrome, 1/2 in)	11038F	V21	\$7.25

*Refer to Page H-1 for complete list of available escutcheons


Select Escutcheons - 3/4 inch *			
E1 push-on (chrome, 3/4 in)	20369F	V21	\$7.25
E1 push-on (white, 3/4 in)	20369M/W	V21	\$7.25
E2 threaded (chrome, 3/4 in)	11625F	V21	\$8.39

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications and are UL listed for corrosion resistance.


(2) Cocoon sprinklers include sprinkler, sprinkler protective cap, unit cap, 2-piece escutcheon, and three wraps of tape on threads.

					Microtech^{® 2} Quick Response Extended Coverage Glass Bulb Horizontal Sidewall				
					SIN:		VK630		
					K Factor:		8.0 (115)		
					Thread Size:		3/4 inch NPT		
					Base Part #:		13500		
Finish	Temp	Part #	IPG	List Price					
Standard Brass	135°F	13500AA	V20.2	\$52.42					
Standard Brass	155°F	13500AB	V20.2	\$52.42					
Standard Brass	175°F	13500AD	V20.2	\$52.42					
Chrome	135°F	13500FA	V20.2	\$56.39					
Chrome	155°F	13500FB	V20.2	\$56.39					
Chrome	175°F	13500FD	V20.2	\$56.39					
White-Polyester	135°F	13500MA/W	V20.2	\$56.39					
White-Polyester	155°F	13500MB/W	V20.2	\$56.39					
White-Polyester	175°F	13500MD/W	V20.2	\$56.39					
Black-Polyester	135°F	13500MA/B	V20.2	\$56.39					
Black-Polyester	155°F	13500MB/B	V20.2	\$56.39					
Black-Polyester	175°F	13500MD/B	V20.2	\$56.39					
Nickel PTFE (ENT) ²	135°F	13500JNA	V20.4	\$135.11					
Nickel PTFE (ENT)	155°F	13500JNB	V20.4	\$135.11					
Nickel PTFE (ENT)	175°F	13500JND	V20.4	\$135.11					
Std Sprinkler Wrench		10896W/B	V20	\$67.72					
Wrench for Rcsd HSW		13655W/B	V20	\$142.35					



					Microtech^{® 1,2} Quick Response Extended Coverage Glass Bulb Domed Concealed Sidewall				
					SIN:		VK630-D ¹		
					K Factor:		8.0 (115)		
					Thread Size:		3/4 inch NPT		
					Base Part #:		13500A-X		
Finish	Temp	Part #	IPG	List Price					
Standard Brass	135°F	13500AAX	V15.4	\$77.23					
Standard Brass	175°F	13500ADX	V15.4	\$77.23					
Nickel PTFE (ENT) ²	135°F	13500JNAX	V20.4	\$159.67					
Nickel PTFE (ENT)	175°F	13500JNDX	V20.4	\$159.67					
Spk Wrench Domed Cncl		13655W/B	V20	\$142.35					

Domed Cover Plate¹ Base Part #: 13501				
Finish	Temp	Part #	IPG	List Price
Chrome	135°F	13501FA	V15.3	\$31.44
Chrome	165°F	13501FC	V15.3	\$31.44
Painted White	135°F	13501MA/W	V15.3	\$31.44
Painted White	165°F	13501MC/W	V15.3	\$31.44
Painted Ivory	135°F	13501MA/I	V15.3	\$39.40
Painted Ivory	165°F	13501MC/I	V15.3	\$39.40
Painted Black	135°F	13501MA/B	V15.3	\$39.40
Painted Black	165°F	13501MC/B	V15.3	\$39.63

					Corridor Sprinkler Quick Response Extended Coverage Glass Bulb Horizontal Sidewall				
					SIN:		VK638		
					K Factor:		8.0 (115)		
					Thread Size:		3/4 inch NPT		
					Base Part #:		17375		
Finish	Temp	Part #	IPG	List Price					
Standard Brass	135°F	17375AA	V17.3	\$67.96					
Standard Brass	155°F	17375AB	V17.3	\$67.96					
Standard Brass	175°F	17375AD	V17.3	\$67.96					
Standard Brass	200°F	17375AF	V17.3	\$67.96					
Chrome	135°F	17375FA	V17.3	\$67.96					
Chrome	155°F	17375FB	V17.3	\$67.96					
Chrome	175°F	17375FD	V17.3	\$67.96					
Chrome	200°F	17375FE	V17.3	\$67.96					
White-Polyester	135°F	17375MA/W	V17.3	\$67.96					
White-Polyester	155°F	17375MB/W	V17.3	\$67.96					
White-Polyester	175°F	17375MD/W	V17.3	\$67.96					
White-Polyester	200°F	17375ME/W	V17.3	\$67.96					
Black-Polyester	135°F	17375MA/B	V17.3	\$67.96					
Black-Polyester	155°F	17375MB/B	V17.3	\$67.96					
Black-Polyester	175°F	17375MD/B	V17.3	\$67.96					
Black-Polyester	200°F	17375ME/B	V17.3	\$67.96					
Std Sprinkler Wrench		10896W/B	V20	\$67.72					
Wrench for Rcsd HSW		13655W/B	V20	\$142.35					

					Corridor Sprinkler Quick Response Extended Coverage Glass Bulb Domed Concealed Sidewall				
					SIN:		VK638-D ¹		
					K Factor:		8.0 (115)		
					Thread Size:		3/4 inch NPT		
					Base Part #:		17375A-X		
Finish	Temp	Part #	IPG	List Price					
Standard Brass	135°F	17375AAX	V15.4	\$73.40					
Standard Brass	175°F	17375ADX	V15.4	\$73.40					
Spk Wrench Domed Cncl		13655W/B	V20	\$142.35					

- (1) Cover plates sold separately.
Cover plates are also available in custom colors at an additional charge (see pg F-8).
- (2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.

	Domed Concealed¹ Standard/Quick Response Extended Coverage Glass Bulb Pendent					Domed Concealed¹ Standard/Quick Response Extended Coverage Glass Bulb Pendent			
	SIN: VK614-D		K Factor: 5.6 (81)			SIN: VK616-D		K Factor: 8.0 (115)	
Thread Size: 1/2 inch NPT		Base Part #: 06778BA-X		Thread Size: 3/4 inch NPT		Base Part #: 07077A-X			
Finish	Temp	Part #	IPG	List Price	Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	06778BABX	V15.4	\$87.66	Standard Brass	155°F	07077ABX	V15.4	\$87.66
Standard Brass	175°F	06778BADX	V15.4	\$87.66	Standard Brass	175°F	07077ADX	V15.4	\$87.66
Spk Wrench for Domed		13577W/B	V20	\$125.89	Spk Wrench for Domed		13577W/B	V20	\$125.89

	EXTRA LARGE ORIFICE Domed Concealed¹ Standard/Quick Response Extended Coverage Glass Bulb Pendent			
	SIN: VK618-D		K Factor: 11.2 (161)	
Thread Size: 3/4 inch NPT		Base Part #: 08339A-X		
Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	08339ABX	V15.4	\$86.09
Standard Brass	175°F	08339ADX	V15.4	\$86.09
Spk Wrench for Domed		11663W/B	V20	\$142.35

Domed Cover Plate¹					
Base Part #: 12381					
Finish	Temp	Part #	IPG	List Price	
Chrome	135°F	12381FA	V15.3	\$31.44	
Chrome	165°F	12381FC	V15.3	\$31.44	
Painted White	135°F	12381MA/W	V15.3	\$31.44	
Painted White	165°F	12381MC/W	V15.3	\$31.44	
Painted Ivory	135°F	12381MA/I	V15.3	\$39.40	
Painted Ivory	165°F	12381MC/I	V15.3	\$39.40	
Painted Black	135°F	12381MA/B	V15.3	\$39.40	
Painted Black	165°F	12381MC/B	V15.3	\$39.40	
Bright Brass	135°F	12381BA/B	V15.3	\$39.40	
Bright Brass	165°F	12381BC/B	V15.3	\$39.40	

(1) Cover plates sold separately. Covers are also available in custom colors at an additional charge (see page F-8).

	Mirage^{®1} Quick Response Extended Coverage Glass Bulb Concealed Pendant			
	SIN:	VK632		
	K Factor:	5.6 (81)		
	Thread Size:	1/2 inch NPT		
	Base Part #:	14613A		
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	14613AA	V16.4	\$70.81
Standard Brass	155°F	14613AB	V16.4	\$70.81
Standard Brass	175°F	14613AD	V16.4	\$70.81
Standard Brass	200°F	14613AE	V16.4	\$70.81
Heavy Duty Spk Wrench	14047W/B		V20	\$130.45
Cabinet Wrench/Cap Tool	14031		V20	\$26.74
	Mirage^{®1} Quick Response Extended Coverage Glass Bulb Concealed Pendant			
	SIN:	VK634		
	K Factor:	8.0 (115)		
	Thread Size:	3/4 inch NPT		
	Base Part #:	14535A		
Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	14535AA	V16.4	\$70.81
Standard Brass	155°F	14535AB	V16.4	\$70.81
Standard Brass	175°F	14535AD	V16.4	\$70.81
Standard Brass	200°F	14535AE	V16.4	\$70.81
Heavy Duty Spk Wrench	14047W/B		V20	\$130.45
Cabinet Wrench/Cap Tool	14031		V20	\$26.74
<i>Available with standard, large diameter, or square cover plates. See following page for details.</i>				

	ELO Mirage^{®1} Quick Response Extended Coverage LIGHT HAZARD			
	SIN:	VK636		
	K Factor:	11.2 (161)		
	Thread Size:	3/4 inch NPT		
	Base Part #:	16102A		
Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	16102AC	V16.4A	\$78.66
Standard Brass	205°F	16102AE	V16.4A	\$78.66
Heavy Duty Spk Wrench	15467W/B		V20	\$130.45
Cabinet Wrench/Cap Tool	15466		V20	\$26.74
	ELO Mirage^{®1} Quick Response Extended Coverage ORDINARY HAZARD			
	SIN:	VK538		
	K Factor:	11.2 (161)		
	Thread Size:	3/4 inch NPT		
	Base Part #:	17115A		
Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	17115AC	V16.4A	\$120.54
Standard Brass	205°F	17115AE	V16.4A	\$120.54
Heavy Duty Spk Wrench	15467W/B		V20	\$130.45
Cabinet Wrench/Cap Tool	15466		V20	\$26.74
<i>The VK636 and VK538 sprinklers require ELO cover plate (p/n 15765). See following page for details.</i>				

(1) Cover plates sold separately. See following page for details.

	EC Flat Concealed HSW Light Hazard Quick Response Extended Coverage Fusible Link Flat Concealed Sidewall			
	SIN:	VK680		
	K Factor:	8.0 (115)		
	Thread Size:	3/4 inch NPT		
	Base Part #:	17114AC		
Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	17114AC	V16.3	\$112.94
Heavy Duty Spk Wrench	16208W/R		V20	\$89.50
Limited Use Spk Wrench	16267		V20	\$26.74
VK680 Cover Plate		<i>Diameter = 3-5/16 inches</i>		
	VK680 Cover Plate <i>Diameter = 3-5/16 inches</i>			
	Finish	Temp	Part #	IPG
Chrome	135°F	16207FA	V16.3A	\$35.07
White	135°F	16207MA/W	V16.3A	\$31.66
Ivory	135°F	16207MA/I	V16.3A	\$39.62
Black	135°F	16207MA/B	V16.3A	\$39.62
Cover Installation Tool	14867		V20	\$11.81

Standard Cover Plate				
<i>Diameter = 2-3/4 inches</i>				
<i>Use w/ VK461, 462, 463, 464, 465, 632, 634</i>				
Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	13504FA	V16.2	\$31.36
Polished Chrome	165°F	13504FC	V16.2	\$31.36
White	135°F	13504MA/W	V16.2	\$31.36
White	165°F	13504MC/W	V16.2	\$31.36
Ivory	135°F	13504MA/I	V16.2	\$39.24
Ivory	165°F	13504MC/I	V16.2	\$39.24
Black	135°F	13504MA/B	V16.2	\$39.24
Black	165°F	13504MC/B	V16.2	\$39.02
Bright Brass	135°F	13504BA	V16.2	\$39.24
Bright Brass	165°F	13504BC	V16.2	\$39.24
Brushed Brass	135°F	13504BA/B	V16.2	\$39.24
Brushed Brass	165°F	13504BC/B	V16.2	\$39.24
Antique Brass	135°F	13504BA/A	V16.2	\$39.24
Antique Brass	165°F	13504BC/A	V16.2	\$39.24
Brushed Copper	135°F	13504EA/B	V16.2	\$39.24
Brushed Copper	165°F	13504EC/B	V16.2	\$39.24
Brushed Chrome	135°F	13504FA/B	V16.2	\$39.24
Brushed Chrome	165°F	13504FC/B	V16.2	\$39.24



Large Cover Plate				
<i>Diameter = 3-5/16 inches</i>				
<i>Use w/ VK461, 462, 463, 464, 465, 632, 634</i>				
Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	13642FA	V16.2	\$31.36
Polished Chrome	165°F	13642FC	V16.2	\$31.36
White	135°F	13642MA/W	V16.2	\$31.36
White	165°F	13642MC/W	V16.2	\$31.36
Ivory	135°F	13642MA/I	V16.2	\$39.24
Ivory	165°F	13642MC/I	V16.2	\$39.24
Black	135°F	13642MA/B	V16.2	\$39.24
Black	165°F	13642MC/B	V16.2	\$39.24
Bright Brass	135°F	13642BA	V16.2	\$39.24
Bright Brass	165°F	13642BC	V16.2	\$39.24
Brushed Brass	135°F	13642BA/B	V16.2	\$39.24
Brushed Brass	165°F	13642BC/B	V16.2	\$39.24
Antique Brass	135°F	13642BA/A	V16.2	\$39.24
Antique Brass	165°F	13642BC/A	V16.2	\$39.24
Brushed Copper	135°F	13642EA/B	V16.2	\$39.24
Brushed Copper	165°F	13642EC/B	V16.2	\$39.24
Brushed Chrome	135°F	13642FA/B	V16.2	\$39.24
Brushed Chrome	165°F	13642FC/B	V16.2	\$39.24



Square Cover Plate				
<i>Use w/ VK461, 462, 463, 464, 465, 632, 634</i>				
Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	15394FA	V16.5	\$53.97
Polished Chrome	165°F	15394FC	V16.5	\$53.97
White	135°F	15394MA/W	V16.5	\$51.81
White	165°F	15394MC/W	V16.5	\$51.81
Ivory	135°F	15394MA/I	V16.5	\$51.81
Ivory	165°F	15394MC/I	V16.5	\$51.81
Black	135°F	15394MA/B	V16.5	\$51.81
Black	165°F	15394MC/B	V16.5	\$51.81
Bright Brass	135°F	15394BA	V16.5	\$63.18
Bright Brass	165°F	15394BC	V16.5	\$63.18
Brushed Brass	135°F	15394BA/B	V16.5	\$63.18
Brushed Brass	165°F	15394BC/B	V16.5	\$63.18
Antique Brass	135°F	15394BA/A	V16.5	\$63.18
Antique Brass	165°F	15394BC/A	V16.5	\$63.18
Brushed Copper	135°F	15394EA/B	V16.5	\$63.18
Brushed Copper	165°F	15394EC/B	V16.5	\$63.18
Brushed Chrome	135°F	15394FA/B	V16.5	\$63.18
Brushed Chrome	165°F	15394FC/B	V16.5	\$63.18



Mirage ELO Cover Plate				
<i>Diameter = 3-5/16 inches</i>				
<i>* For use w/ VK469 VK636, VK538 ELO only</i>				
Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	15765FA	V16.2	\$31.36
Polished Chrome	165°F	15765FC	V16.2	\$31.36
White	135°F	15765MA/W	V16.2	\$31.36
White	165°F	15765MC/W	V16.2	\$31.36
Ivory	135°F	15765MA/I	V16.2	\$39.24
Ivory	165°F	15765MC/I	V16.2	\$39.24
Black	135°F	15765MA/B	V16.2	\$39.24
Black	165°F	15765MC/B	V16.2	\$39.24



Cover Plate Installation Tool - Standard



14412
\$11.81

IPG V20

Cover Plate Installation Tool - Large



14867
\$11.81


IPG V20


Cabinet Wrench / Cap Removal Tool




14031
\$26.74

IPG V20


				
Microfast® Model M				
Quick Response				
Extended Coverage				
FUSIBLE LINK¹				
Upright Sprinklers				
Finish	Temp	Part #	IPG	List Price
VK535 - 11.2 (161) K Factor - 3/4 in NPT - UPRIGHT²				
Standard Brass	165°F	14139AC	V18.1	\$88.01
Standard Brass	205°F	14139AE	V18.1	\$88.01
Chrome	165°F	14139FC	V18.1	\$91.77
Chrome	205°F	14139FE	V18.1	\$91.77
White-Polyester	165°F	14139MC/W	V18.1	\$91.77
White-Polyester	205°F	14139ME/W	V18.1	\$91.77
Std Sprinkler Wrench		05118CW/B	V20	\$141.46


				
Microfast® Model M				
Quick Response				
Extended Coverage				
FUSIBLE LINK¹				
Pendent Sprinklers				
Finish	Temp	Part #	IPG	List Price
VK601 - 5.6 (81) K Factor - 1/2 in NPT - PENDENT				
Standard Brass	165°F	13969AC	V20.2	\$55.93
Standard Brass	205°F	13969AE	V20.2	\$55.93
Chrome	165°F	13969FC	V20.2	\$58.42
Chrome	205°F	13969FE	V20.2	\$58.42
White-Polyester	165°F	13969MC/W	V20.2	\$62.79
White-Polyester	205°F	13969ME/W	V20.2	\$62.79
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35


				
Microfast® Model M				
Quick Response				
Extended Coverage				
FUSIBLE LINK¹				
Pendent Sprinklers				
Finish	Temp	Part #	IPG	List Price
VK607 - 5.6 (81) K Factor - 1/2 in NPT - PENDENT				
Standard Brass	165°F	13970AC	V20.2	\$63.78
Standard Brass	205°F	13970AE	V20.2	\$63.78
Chrome	165°F	13970FC	V20.2	\$66.95
Chrome	205°F	13970FE	V20.2	\$66.95
White-Polyester	165°F	13970MC/W	V20.2	\$66.95
White-Polyester	205°F	13970ME/W	V20.2	\$66.95
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13577W/B	V20	\$125.89

Select Escutcheons - 1/2 inch *				
E1 push-on (chrome, 1/2 in)		06419AF	V21	\$7.25
E1 push-on (white, 1/2 in)		06419AM/W	V21	\$7.25
E2 threaded (chrome, 1/2 in)		11038F	V21	\$7.25

*Refer to Page H-1 for complete list of available escutcheons

				
Microfast® Model M				
Quick Response				
Extended Coverage				
FUSIBLE LINK¹				
Pendent Sprinklers				
Finish	Temp	Part #	IPG	List Price
VK537 - 11.2 (161) K Factor - 3/4 in NPT - PENDENT²				
Standard Brass	165°F	14611AC	V18.1	\$95.03
Standard Brass	205°F	14611AE	V18.1	\$95.03
Chrome	165°F	14611FC	V18.1	\$100.06
Chrome	205°F	14611FE	V18.1	\$100.06
White-Polyester	165°F	14611MC/W	V18.1	\$100.06
White-Polyester	205°F	14611ME/W	V18.1	\$100.06
Std Sprinkler Wrench		05118CW/B	V20	\$141.46
Wrench for Recessed		11663W/B	V20	\$142.35

				
Microfast® Model M				
Quick Response				
Extended Coverage				
FUSIBLE LINK¹				
Pendent Sprinklers				
Finish	Temp	Part #	IPG	List Price
VK603 - 8.0 (115) K Factor - 3/4 in NPT - PENDENT				
Standard Brass	165°F	18277AC	V20.2	\$66.25
Standard Brass	205°F	18277AE	V20.2	\$66.25
Chrome	165°F	18277FC	V20.2	\$69.23
Chrome	205°F	18277FE	V20.2	\$69.23
White-Polyester	165°F	18277MC/W	V20.2	\$72.04
White-Polyester	205°F	18277ME/W	V20.2	\$72.04
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35

				
Microfast® Model M				
Quick Response				
Extended Coverage				
FUSIBLE LINK¹				
Pendent Sprinklers				
Finish	Temp	Part #	IPG	List Price
VK617 - 11.2 (161) K Factor - 3/4 in NPT - PENDENT				
Standard Brass	165°F	14141AC	V18.1	\$86.60
Standard Brass	205°F	14141AE	V18.1	\$86.60
Chrome	165°F	14141FC	V18.1	\$90.40
Chrome	205°F	14141FE	V18.1	\$90.40
White-Polyester	165°F	14141MC/W	V18.1	\$93.80
White-Polyester	205°F	14141ME/W	V18.1	\$93.80
Std Sprinkler Wrench		05118CW/B	V20	\$141.46
Wrench for Recessed		11663W/B	V20	\$142.35


Select Escutcheons - 3/4 inch *				
E1 push-on (chrome, 3/4 in)		20369F	V21	\$7.25
E1 push-on (white, 3/4 in)		20369M/W	V21	\$7.25
E2 threaded (chrome, 3/4 in)		11625F	V21	\$8.39


*Refer to Page H-1 for complete list of available escutcheons


(1) † Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).

Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



(2) Ordinary Hazard

	Microfast® Model M			
	Quick Response			
	Extended Coverage			
	FUSIBLE LINK¹			
Horizontal Sidewall				
Finish	Temp	Part #	IPG	List Price
VK609 - 5.6 (81) K Factor - 1/2 in NPT -HSW (QREC)				
Standard Brass	165°F	13971AC	V20.2	\$58.84
Standard Brass	205°F	13971AE	V20.2	\$58.84
Chrome	165°F	13971FC	V20.2	\$63.08
Chrome	205°F	13971FE	V20.2	\$63.08
White-Polyester	165°F	13971MC/W	V20.2	\$63.08
White-Polyester	205°F	13971ME/W	V20.2	\$63.08
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35

	Microfast® Model M			
	Quick Response			
	Extended Coverage			
	FUSIBLE LINK¹			
Horizontal Sidewall				
HIGH PRESSURE				
Finish	Temp	Part #	IPG	List Price
VK613 - 5.6 (81) K Factor - 1/2 in NPT - HSW (HP)				
Standard Brass	165°F	13973AC	V20.2	\$58.84
Standard Brass	205°F	13973AE	V20.2	\$58.84
Chrome	165°F	13973FC	V20.2	\$63.08
Chrome	205°F	13973FE	V20.2	\$63.08
White-Polyester	165°F	13973MC/W	V20.2	\$63.08
White-Polyester	205°F	13973ME/W	V20.2	\$63.08
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13655W/B	V20	\$142.35

	Microfast® Model M			
	Quick Response			
	Extended Coverage			
	FUSIBLE LINK¹			
Pendent				
HIGH PRESSURE				
Finish	Temp	Part #	IPG	List Price
VK611 - 5.6 (81) K Factor - 1/2 in NPT - Pendent (HP)				
Standard Brass	165°F	13972AC	V20.2	\$63.78
Standard Brass	205°F	13972AE	V20.2	\$63.78
Chrome	165°F	13972FC	V20.2	\$66.95
Chrome	205°F	13972FE	V20.2	\$66.95
White-Polyester	165°F	13972MC/W	V20.2	\$66.95
White-Polyester	205°F	13972ME/W	V20.2	\$66.95
Std Sprinkler Wrench		10896W/B	V20	\$67.72
Wrench for Recessed		13577W/B	V20	\$125.89

NOTE - High Pressure (HP) = Working pressure to 250 psi (1724 kPa)

	Recessed Escutcheon			
	Model E-1 (push-on) (includes cup & adapter) (OD = 3-1/16" / 78 mm)			
Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V23	\$21.81
Polished Chrome	1/2"	06419AF	V21	\$7.25
White	1/2"	06419AM/W	V21	\$7.25
Black	1/2"	06419AM/B	V23	\$9.54
	Threaded Escutcheon			
	Model E-2 (thread-on) (includes cup & adapter) (OD = 3-1/8" / 80 mm)			
Polished Chrome	1/2"	11038F	V21	\$7.25
White	1/2"	11038M/W	V21	\$7.25

*Refer to Page H-1 for complete list of available escutcheons

(1) : Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).
Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.

