

TABLE OF CONTENTS

TotalPac[®] 3 – Introduction.....K-1
TotalPac[®] 3 – Preaction Systems.....K-2
TotalPac[®] 3 – Deluge, Wet, and Dry Systems.....K-3
TotalPac[®] 3 – Firecycle[®] III and SureFire[®] Systems.....K-4
TotalPac[®] 3 – System Options / Release Control Panel OptionsK-5
TotalPac[®] 3 – Air Supply Options.....K-6
TotalPac[®] 3 – Terms and ConditionsK-7

Notes

1. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting www.vikinggroupinc.com.
2. List prices effective June 30, 2018. Supersedes June 2016 list price book.
3. All sales by Viking are subject to the terms & conditions found on the last page of this book.

SureFire[®] and Firecycle[®] are registered trademarks of The Viking Corporation.



NEW - TOTALPAC®3 Integrated Fire Protection Systems

Introduction:

Pricing of the TotalPac3 Product Line are priced by adding various options together until a complete unit is obtained.

A basic system now includes the system valve, its releasing trim and its supporting assembly, whether it is a skid, a remote controlled cabinet without control panel or a self-contained unit with control panel. These are all included under a single part number.

The price list now resembles a matrix which facilitates its use. It is divided into 10 sections and is consistent with the User Manuals:

1. Preaction Systems (Non, Single & Double Interlock);
2. Deluge Systems;
3. Wet Pipe Systems;
4. Dry Pipe Systems (both normal & HP);
5. Cycling Systems (Firecycle III);
6. Surefire Systems.

Followed by:

7. System Options (Shut-off Valve, FD Connection, etc.);
8. VFR-400 Control Panel Options (zones, relays, batteries, etc.);
9. Air Supplies (the usual 4 styles – A,B,C & D), and then,
10. Air Supply Options (Dehydrator, Accelerator, etc.).

To order a TotalPac3:

First, select the type of system required (preaction, deluge, dry, etc...). Then, choose the style of system required (skid mounted, remote controlled or self-contained) and its release system (electric, pneumatic, etc.). Finally, follow this line to the proper part number under the column of the system size (TotalPac3 units are available in 6 sizes: 1½", 2", 3", 4", 6" and 8" diam.). This is the part number that should be ordered. Add the required system options to complete your order.

The Configuration/order Form (doc. # FM-08CD-0-17) uses the same format as the price list.

Provided are additional details on the three styles of TotalPac3 units available:

- **Skid Mounted Units:** Skid Units include only the basic Valve Trim and its required Releasing Trim. Electrical components have to be wired on-site by the contractor. Grooved or flanged connections are provided for water supply, drain and system riser. Remote releasing control panel and air compressor (if required) have to be purchased separately (*they are not provided by FireFlex Systems Inc.*) and installed by the contractor on-site. Every Skid Unit is supplied with its own User Manual and is also serialized for after sales support. Serial Number format is TOTSxxxx.

- **Remote Controlled Units:** These units are composed of the basic Valve, Trim and Releasing Trim, enclosed in a sturdy 14 gauge steel cabinet with one or two front doors and a contractor field wiring junction box on top of the cabinet. All electrical components are factory wired to the field wiring terminal strip. Wiring schematics are included on the inside of the front doors. Grooved or flanged connections are provided for water supply, drain and system riser. Four different air supply options are available and factory assembled. Remote releasing control panel, if required, has to be purchased separately (*they are not provided by FireFlex Systems Inc.*) and installed by the contractor on-site. Every Remote Controlled Unit is supplied with a User Manual and is serialized for after sales support. Serial Number format is TOT3xxxx.

- **Self-Contained Units:** These units are composed of a Remote Controlled Unit as described above, plus a Release Control Panel Enclosure mounted on top of the cabinet. All electrical components are factory wired to the Viking VFR-400 Control Panel, with wiring schematics included on the inside of the front doors. Grooved or flanged connections are provided for water supply, drain and system riser. Four different air supply options are available and factory assembled.

Every self-contained unit is supplied with a User Manual and is serialized for after sales support. Serial Number format is TOT3xxxx.

Refer to the Price List for various options available with each style & system type.

NEW - TOTALPAC®3 Integrated Fire Protection Systems

Preaction Systems:

SYSTEM TYPE	STYLE	RELEASE	SYSTEM SIZE					
			1½"	2"	3"	4"	6"	8"
PREACTION NON INTERLOCK	Skid Mounted	Electric	T3PNELSK15 \$21,993	T3PNELSK20 \$25,037	T3PNELSK30 \$27,833	T3PNELSK40 \$30,950	T3PNELSK60 \$36,243	N/A
		Pneumatic	T3PNPNK15 \$19,398	T3PNPNK20 \$22,442	T3PNPNK30 \$25,238	T3PNPNK40 \$28,355	T3PNPNK60 \$33,679	N/A
	Without Panel (Remote)	Electric	T3PNELNP15 \$29,717	T3PNELNP20 \$32,761	T3PNELNP30 \$35,551	T3PNELNP40 \$39,665	T3PNELNP60 \$44,933	T3PNELNP80 \$65,762
		Pneumatic	T3PNPNNP15 \$27,116	T3PNPNNP20 \$30,166	T3PNPNNP30 \$32,956	T3PNPNNP40 \$37,070	T3PNPNNP60 \$42,357	T3PNPNNP80 \$63,960
	With VFR-400 – 120V/60Hz	Electric	T3PNELWP15 \$35,338	T3PNELWP20 \$38,382	T3PNELWP30 \$41,166	T3PNELWP40 \$45,401	T3PNELWP60 \$50,585	T3PNELWP80 \$72,220
			T3PNELNP15 \$29,717	T3PNELNP20 \$32,761	T3PNELNP30 \$35,551	T3PNELNP40 \$39,665	T3PNELNP60 \$44,933	T3PNELNP80 \$65,762
PREACTION SINGLE INTERLOCK	Skid Mounted	Electric	T3PSELSK15 \$19,288	T3PSELSK20 \$22,333	T3PSELSK30 \$25,116	T3PSELSK40 \$28,246	T3PSELSK60 \$33,557	N/A
		Pneumatic	T3PSPNSK15 \$18,086	T3PSPNSK20 \$20,980	T3PSPNSK30 \$23,637	T3PSPNSK40 \$26,612	T3PSPNSK60 \$32,573	N/A
	Without Panel (Remote)	Electric	T3PSELNP15 \$26,988	T3PSELNP20 \$30,002	T3PSELNP30 \$32,864	T3PSELNP40 \$36,966	T3PSELNP60 \$42,266	T3PSELNP80 \$62,262
		Pneumatic	T3PSPNNP15 \$26,702	T3PSPNNP20 \$29,747	T3PSPNNP30 \$32,542	T3PSPNNP40 \$36,657	T3PSPNNP60 \$42,885	T3PSPNNP80 \$62,967
	With VFR-400 – 120V/60Hz	Electric	T3PSELWP15 \$32,603	T3PSELWP20 \$35,623	T3PSELWP30 \$38,480	T3PSELWP40 \$41,919	T3PSELWP60 \$47,717	T3PSELWP80 \$69,180
			T3PSELNP15 \$26,988	T3PSELNP20 \$30,002	T3PSELNP30 \$32,864	T3PSELNP40 \$36,966	T3PSELNP60 \$42,266	T3PSELNP80 \$62,262
PREACTION DOUBLE INTERLOCK <small>Note: NYFD Accepted & FM Approved for use in refrigerated areas only.</small>	Skid Mounted	Elect-Pnelect.	T3PDEPSK15 \$19,355	T3PDEPSK20 \$22,400	T3PDEPSK30 \$25,189	T3PDEPSK40 \$28,307	T3PDEPSK60 \$33,630	N/A
		Elect-Pneum.	T3PDPASK15 \$20,589	T3PDPASK20 \$23,445	T3PDPASK30 \$26,076	T3PDPASK40 \$28,999	T3PDPASK60 \$34,025	N/A
		Pneum-Pneum.	T3PDPPSK15 \$19,307	T3PDPPSK20 \$22,163	T3PDPPSK30 \$24,794	T3PDPPSK40 \$27,717	T3PDPPSK60 \$32,713	N/A
	Without Panel (Remote)	Elect-Pnelect.	T3PDEPNP15 \$27,061	T3PDEPNP20 \$30,075	T3PDEPNP30 \$32,925	T3PDEPNP40 \$37,039	T3PDEPNP60 \$42,339	T3PDEPNP80 \$62,263
		Elect-Pneum.	T3PDPANP15 \$27,821	T3PDPANP20 \$30,665	T3PDPANP30 \$33,302	T3PDPANP40 \$37,191	T3PDPANP60 \$42,102	T3PDPANP80 \$63,736
		Pneum-Pneum.	T3PDPPNP15 \$26,563	T3PDPPNP20 \$29,425	T3PDPPNP30 \$32,050	T3PDPPNP40 \$65,915	T3PDPPNP60 \$40,831	T3PDPPNP80 \$64,043
	With VFR-400 – 120V/60Hz	Elect-Pnelect.	T3PDEPWP15 \$32,682	T3PDEPWP20 \$35,696	T3PDEPWP30 \$38,546	T3PDEPWP40 \$42,770	T3PDEPWP60 \$48,063	T3PDEPWP80 \$69,182
			Elect-Pneum.	T3PDPAWP15 \$33,101	T3PDPAWP20 \$35,946	T3PDPAWP30 \$38,577	T3PDPAWP40 \$42,576	T3PDPAWP60 \$47,492

NEW - TOTALPAC®3 Integrated Fire Protection Systems

Deluge Systems:

SYSTEM TYPE	STYLE	RELEASE	SYSTEM SIZE					
			1½"	2"	3"	4"	6"	8"
DELUGE	Skid Mounted	Electric	T3DEELSK15 \$18,784	T3DEELSK20 \$22,266	T3DEELSK30 \$25,019	T3DEELSK40 \$27,219	T3DEELSK60 \$31,546	N/A
		Pneumatic	T3DEPNSK15 \$18,547	T3DEPNSK20 \$21,057	T3DEPNSK30 \$23,810	T3DEPNSK40 \$26,915	T3DEPNSK60 \$32,178	N/A
		Hydraulic	T3DEHYSK15 \$17,082	T3DEHYSK20 \$19,659	T3DEHYSK30 \$22,406	T3DEHYSK40 \$25,511	T3DEHYSK60 \$29,814	N/A

SYSTEM TYPE	STYLE	RELEASE	SYSTEM SIZE					
			1½"	2"	3"	4"	6"	8"
DELUGE	Without Panel (Remote)	Electric	T3DEELNP15 \$26,739	T3DEELNP20 \$29,236	T3DEELNP30 \$31,874	T3DEELNP40 \$36,097	T3DEELNP60 \$40,394	T3DEELNP80 \$59,119
		Pneumatic	T3DEPNNP15 \$26,356	T3DEPNNP20 \$28,933	T3DEPNNP30 \$31,679	T3DEPNNP40 \$35,551	T3DEPNNP60 \$41,020	T3DEPNNP80 \$59,532
		Hydraulic	T3DEHYNP15 \$24,952	T3DEHYNP20 \$27,529	T3DEHYNP30 \$30,276	T3DEHYNP40 \$34,384	T3DEHYNP60 \$38,674	T3DEHYNP80 \$58,483
	With VFR-400 – 120V/60Hz	Electric	T3DEELWP15 \$32,360	T3DEELWP20 \$34,931	T3DEELWP30 \$37,574	T3DEELWP40 \$41,919	T3DEELWP60 \$46,204	T3DEELWP80 \$66,049

Wet Pipe Systems:

WET PIPE	Skid Mounted	N/A	N/A	N/A	T3WETESK30 \$11,078	T3WETESK40 \$11,820	T3WETESK60 \$13,260	N/A
	In Cabinet	N/A	N/A	N/A	T3WETENP30 \$19,519	T3WETENP40 \$21,415	T3WETENP60 \$23,159	T3WETENP80 \$28,032
System Options:	Constant Pressure Trim	T3CONPRESS \$629		Excess Pressure Pump 1/3 HP (120V/60Hz)		T3WETEPP03 POA		
	Retard Chamber	T3WETRET00 \$1,872		Excess Pressure Pump 1/2 HP (120V/60Hz)		T3WETEPP05 POA		

Dry Pipe Systems:

DRY PIPE 175 psi	Skid Mounted	N/A	N/A	N/A	N/A	T3DRYESK40 \$17,836	T3DRYESK60 \$20,820	N/A
	In Cabinet (Remote)	N/A	N/A	N/A	N/A	T3DRYENP40 \$28,629	T3DRYENP60 \$31,625	N/A
HP DRY PIPE 250 psi	Skid Mounted	N/A	T3DHPESK15 POA	T3DHPESK20 POA	T3DHPESK30 POA	T3DHPESK40 POA	T3DHPESK60 POA	N/A
	In Cabinet (Remote)	N/A	T3DHPENP15 \$23,573	T3DHPENP20 \$26,611	T3DHPENP30 \$29,407	T3DHPENP40 \$33,521	T3DHPENP60 \$38,802	T3DHPENP80 \$56,026

NEW - TOTALPAC®3 Integrated Fire Protection Systems

Firecycle® III Systems:

SYSTEM TYPE	STYLE	RELEASE	SYSTEM SIZE					
			1½"	2"	3"	4"	6"	8"
PREACTION SINGLE INTERLOCK	Skid Mounted	Firecycle III	T3FSINSK15 \$27,584	T3FSINSK20 \$32,220	T3FSINSK30 \$35,599	T3FSINSK40 \$39,379	T3FSINSK60 \$45,839	N/A
	Without Panel (Remote)		T3FSINNP15 \$34,876	T3FSINNP20 \$39,513	T3FSINNP30 \$43,208	T3FSINNP40 \$48,075	T3FSINNP60 \$54,183	T3FSINNP80 \$68,464
	With VFR-400 – 120V/60Hz		T3FSINWP15 \$41,488	T3FSINWP20 \$46,118	T3FSINWP30 \$49,807	T3FSINWP40 \$54,802	T3FSINWP60 \$60,606	T3FSINWP80 \$75,316
PREACTION DOUBLE INTERLOCK	Skid Mounted	Firecycle III	T3FDOUSK15 \$27,584	T3FDOUSK20 \$32,220	T3FDOUSK30 \$35,599	T3FDOUSK40 \$39,379	T3FDOUSK60 \$45,839	N/A
	Without Panel (Remote)		T3FDOUNP15 \$34,876	T3FDOUNP20 \$39,513	T3FDOUNP30 \$43,208	T3FDOUNP40 \$48,075	T3FDOUNP60 \$54,183	T3FDOUNP80 \$68,710
	With VFR-400 – 120V/60Hz		T3FDOWP15 \$41,488	T3FDOWP20 \$46,118	T3FDOWP30 \$49,807	T3FDOWP40 \$54,802	T3FDOWP60 \$60,606	T3FDOWP80 \$75,365

SureFire® Fail Safe Preaction Systems:

SYSTEM TYPE	STYLE	RELEASE	SYSTEM SIZE					
			1½"	2"	3"	4"	6"	8"
PREACTION SINGLE INTERLOCK	Skid Mounted	Surefire	T3SFSISK15 \$25,688	T3SFSISK20 \$28,963	T3SFSISK30 \$31,965	T3SFSISK40 \$35,332	T3SFSISK60 \$41,056	N/A
	Without Panel (Remote)		T3SFSINP15 \$33,375	T3SFSINP20 \$36,657	T3SFSINP30 \$39,665	T3SFSINP40 \$44,095	T3SFSINP60 \$49,789	T3SFSINP80 \$66,266
	With VFR-400 - 120V/60Hz		T3SFSIWP15 \$39,330	T3SFSIWP20 \$42,606	T3SFSIWP30 \$45,614	T3SFSIWP40 \$50,166	T3SFSIWP60 \$55,860	T3SFSIWP80 \$73,132
PREACTION DOUBLE INTERLOCK <small>Note: NYFD & FM Approved for use in refrigerated areas only.</small>	Skid Mounted	Surefire	T3SFDOSK15 \$26,222	T3SFDOSK20 \$29,498	T3SFDOSK30 \$32,506	T3SFDOSK40 \$35,873	T3SFDOSK60 \$41,597	N/A
	Without Panel (Remote)		T3SFDONP15 \$33,922	T3SFDONP20 \$34,238	T3SFDONP30 \$40,199	T3SFDONP40 \$44,617	T3SFDONP60 \$49,236	T3SFDONP80 \$66,038
	With VFR-400 - 120V/60Hz		T3SFDOWP15 \$39,871	T3SFDOWP20 \$43,147	T3SFDOWP30 \$46,149	T3SFDOWP40 \$50,707	T3SFDOWP60 \$56,401	T3SFDOWP80 \$73,138

NEW - TOTALPAC®3 Integrated Fire Protection Systems

System Options:

Shut-off Valve & Sight Glass (Not available for Wet & Dry Pipe systems)	T3SHUTV015 \$1,389	T3SHUTV020 \$1,465	T3SHUTV030 \$1,762	T3SHUTV040 \$1,893	T3SHUTV060 \$2,328	N/A
Fire Department Connection (Always on right hand side)	T3FIRDPT15 \$449	T3FIRDPT20 \$449	T3FIRDPT30 \$498	T3FIRDPT40 \$525	T3FIRDPT60 \$677	N/A
Semi-Flanged Inlets & Outlet:	T3SEMFLG15 \$1,127	T3SEMFLG20 \$1,002	T3SEMFLG30 \$1,175	T3SEMFLG40 \$1,333	T3SEMFLG60 \$1,617	T3SEMFLG80 \$2,117
Full-Flanged Inlets & Outlet:	PRICE ON REQUEST ONLY					
Elevator Option	T3ELEVATOR			PRICE ON REQUEST ONLY SPECIAL CONDITIONS APPLY		
Anti Column device	T3ANTCOLD1			\$367		
Galvanized Main Inlet & Riser	T3GALVOPTI			\$1,082		

VFR-400 Releasing Panel Options:

Available with 120V / 60Hz or 220V / 50Hz

Emergency Batteries:	Standard Systems:	7 AH (Included with unit, use for replacement only) T3BAT02407 \$187	12 AH (FM's 90 Hrs Stand-by) T3BAT02412 \$484
	Surefire & Firecycle III Systems:	12 AH (Included with unit, use for replacement only) T3BAT02412 \$484	17 AH (FM's 90 Hrs Stand-by) T3BAT02417 POA
VFR-400 Panel Options:	L.A. Auxiliary Contacts - T3LAOPTION \$69	Chicago Auxiliary Contacts - T3CHOPTION \$69	NYFD Kit - T3VFRPNYOP \$370 (Class A Modules included do not duplicate)
	Rem. Annunciator - T3VFRP4410 \$1,127		
	Class "A" Initiating Ccts - T3VFRPCA2Z \$457	Class "A" Indicating Ccts - T3VFRPCAM2 \$352	Relay Module - T3OPTARM44 \$1,347

NEW - TOTALPAC®3 Integrated Fire Protection Systems

Air Supplies:

Air Supplies for Skids (Trim only – NO compressor)	For Preaction – Surefire Firecycle III & HP Dry Pipe	Deluge Pneum. Release	Single Pneum. & Double Int'lk Pneum-Pneum. Release
	T3ARTITSK1 \$719	T3ARTITSK2 \$691	T3ARTITSK3 \$1,409

Air Supplies for Cabinets	Style "A" (Tankless Air Compressor)						Style "B" Air Pressure Maintenance Device for Sprinkler Piping	Style "C" Air Pressure Maintenance Device for Pilot Line	Style "D" Air Shut-off Valve, Pressure Gauge, & Pressure Switch Only
	1/6 HP	1/3 HP	1/2 HP	1 HP	1 1/2 HP (8" unit only)	2 HP (8" unit only)			
120 V / 60 Hz:	T3AIRK0A02 \$4,145	T3AIRK0A03 \$4,981	T3AIRK0A05 \$5,651	T3AIRK0A10 \$6,805	T3AIRK0A15 POA	T3AIRK0A20 POA	T3AIRK0B00 \$1,969	T3AIRK0C00 \$1,907	T3AIRK0D00 \$442
220V / 50 Hz	T3AIRK2A02 \$5,029	T3AIRK2A03 \$5,990	T3AIRK2A05 \$7,359	T3AIRK2A10 \$8,477	T3AIRK2A15 POA	N/A			

Notes:

1. Style "A" Air Supply cannot be mixed with Style "B".
2. In the case of a Preaction System with Pilot Line, order either one Style "A" with one Style "C" if you need a tankless air compressor in the cabinet for the sprinklers piping, OR, one Style "B" and one Style "C" if you want both air supplies to be located outside the system cabinet.
3. Pilot Line Air Supply will always be provided by a source located outside the TP3 Cabinet, supplied by others (not FireFlex).
4. Air Supply Style "D" is used when air supply and regulation is provided by others, as is the case with plant air, or with refrigerated areas when a dry air supply as described in NFPA-13 is required.
5. 1 HP Air compressor available on 4" & 6" systems only.
6. 1 ½ HP & 2 HP Air compressors available on 8" systems only.

Air Supply Options:

Accelerator E-1	Without Anti-flood Device (For Preaction, Pneum. Rel. Pilot Line & HP Dry only)	With Anti-flood Device (For Standard Dry Pipe only)
		T3ACCELE1P \$2,777
Dehydrator	T3DEHYDRAT \$3,068	

NEW - TOTALPAC®3 Integrated Fire Protection Systems

Terms and Conditions

This price list should be used in conjunction with the VIKING TotalPac3 Configuration/Order Form (FM-08CD-0-17 latest revision).

All prices are NET and are indicated in US dollars, FOB our plant in Boisbriand, Quebec (Canada). For special discounts or configurations, please contact FireFlex Systems Customer Service.

Listings and Approvals: Most TotalPac3 Configurations in our product range are cUL_{us} Listed & FM Approved as factory-built complete units. Any system modification, to meet project specs or local AHJ requirements, ordered as a custom built system will void the Listing on the TotalPac3 as an assembly but individual components Listings/Approvals will remain.

Special Order Item: Every TotalPac3 Unit is a Special Order Item which is built to order. It can therefore not be cancelled nor returned without FireFlex Systems explicit consent or authorization.

Returns & Credits: The following conditions shall apply to all TotalPac3 units returned for credit:

- Unit(s) shall be of current design, three months old maximum after shipping date from the factory;
- Unit(s) shall still be in its (their) original packing (never unpacked), unused and not installed. Any unit not in this condition is subject to additional charges to cover inspection, handling, repackaging, refurbishment, or any other expenses incurred by FireFlex Systems in accepting the unit(s).
- The customer is responsible for freight charges to return overstocked unit(s), unit(s) no longer required, or ordered by mistake. Any damage incurred in transit will be deducted from the credit value.

NOTE: An RMA Number shall be obtained from FireFlex' Customer Service PRIOR to returning any unit. Please provide unit(s) serial number(s) as indicated on the shipping label of the unit(s) (format: TOTSxxxx or TOT3xxxx) as well as the address for us to make arrangements for pick-up.

Please note that a minimum restocking charge of \$ 1,500.00 is applicable on all TotalPac3 returns. Systems older than 3 months after date of shipment will NOT be accepted for credit.

Upon receiving returned unit(s), FireFlex Systems will inspect each unit. If any damage is found, the credit amount will be adjusted accordingly.

Contractor must ascertain the unit is returned in its original packing, including the internal plastic liner. This liner protects the unit finish against abrasion damage during transport.

Warranty: FireFlex Systems provides warranty on all TotalPac3 Units for a period of 1 (one) year from time of shipping. Warranty does not cover labor. We will replace any component found defective at no charge during this period but will NOT reimburse labor charges incurred by the contractor. In the case of unauthorized modification of, or tampering with the unit, the warranty is void.

The warranty on batteries warranty is limited to 3 (three) months. Refer to the terms of our Standard Warranty for all details (provided with every TotalPac3 User's Manual).